

**ELECTRIC
GRAND
TOWNS**





RETRO COOL, MODERN COMFORT

Welcome to Electric Grand

Electric Grand is a new collection of richly designed and artfully crafted townhomes blending the comforts of contemporary living with the spirit of a bygone era.

With sleek lines, unique architectural elements, marquee finishes, ample natural lighting, and thoughtfully laid out floor plans, these homes are made to allow you to enjoy life in one of Southwestern Ontario's most exciting cities.

There are a fantastic array of amenities on your doorstep: beautiful natural spaces on the banks of the Grand River, a charming historical downtown, cafes, restaurants, boutiques and big box stores alike.





Embrace the Lifestyle


THIS IS YOUR BRANTFORD

Brantford is a flourishing urban centre on the banks of the Grand River. It is a town with a storied history that has retained its heritage charm even as it has grown.

Venture into the city's downtown to explore the historical landmarks and cultural gems. Catch a show at the Sanderson Centre for the Performing Arts, or spend an afternoon at the Brant Museum and Archives or Glenhyrst Art Gallery.

Afterwards, explore the parks by the Grand River. Indulge at cozy local eateries, and experience the unique culinary offerings of the city's modern restaurants.

For your everyday needs, Brantford also has you covered. Schools, stores, personal services, healthcare, recreational offerings, and more. It's all here.



Amenities

RETAIL

DINING

EDUCATION

1. St. Theresa School CES
2. Ryerson Heights PES
3. St. Gabriel CES
4. Brantford Public Library
5. Wilfrid Laurier University Brantford Campus
6. Assumption College School
7. Brantford Collegiate Institute
8. Saint Basil Catholic Elementary School
9. Walter Gretzky Elementary School

RECREATION

1. Brant Conservation Area
2. Brantford Bike Park
3. Arnold Anderson Stadium
4. Earl Haig Family Fun Park
5. Lion's Park
6. Brantford Golf & Country Club
7. Brantford Skate Plaza
8. Laurier Brantford YMCA
9. Wayne Gretzky Sports Centre
10. Franklin Grobb Memorial Forest

TRAILS

- - NW Trail & SC Johnson Trail
- - Blue Cir Trail & SC Johnson Trail
- - Oak Hill Trail
- - SC Johnson Trail
- - D'Aubigny Trail
- - Fordview Trail
- - Gilkison Trail
- - L.E. & N Trail
- - TH & B Rail Trail
- - C.N. Rail Trail



SITE

13 Minutes to Highway 403

8 Minutes to Downtown Brantford

11 Minutes to Brantford General Hospital

36 Minutes to Cambridge

41 Minutes to Hamilton



Map not to scale. E. & O.E.



MODELS & FLOOR PLANS



Block A | DUAL FRONTAGE TOWNS



Artist's concept

The Chevron 3
Elev. A • 1,444 sq. ft.

The Chevron 1
Elev. A • 1,396 sq. ft.

The Chevron 1
Elev. B • 1,408 sq. ft.

The Chevron 1
Elev. A • 1,396 sq. ft.

The Chevron 2
Elev. A • 1,452 sq. ft.



Artist's concept

The Chevron 2
Elev. A • 1,452 sq. ft.

The Chevron 1
Elev. A • 1,396 sq. ft.

The Chevron 1
Elev. B • 1,408 sq. ft.

The Chevron 1
Elev. A • 1,396 sq. ft.

The Chevron 3
Elev. A • 1,444 sq. ft.

Block B | DUAL FRONTAGE TOWNS

Block D | STANDARD TOWNS




ELECTRIC GRAND TOWNS



BLOCKS B & D

Block C | STANDARD TOWNS



The Paisley 3
Elev. A • 1,452 sq. ft.

The Paisley 1
Elev. A • 1,400 sq. ft.

The Paisley 1
Elev. B • 1,399 sq. ft.

The Paisley 1
Elev. C • 1,408 sq. ft.


The Paisley 1
Elev. B • 1,399 sq. ft.

The Paisley 1
Elev. A • 1,400 sq. ft.

The Paisley 2
Elev. A • 1,452 sq. ft.

Artist's concept

Block E & G | STANDARD TOWNS



Block F | STANDARD TOWNS



Block H | STANDARD TOWNS



ELECTRIC GRAND TOWNS

Block I | STANDARD TOWNS



BLOCK H & I

Block J | BACK TO BACK TOWNS



Block K | BACK TO BACK TOWNS • FRONT



Block K | BACK TO BACK TOWNS • REAR








Block L | BACK TO BACK TOWNS







The Paisley 1

STANDARD TOWNS | ELEV. A • 1,400 SQ.FT. • ELEV. B • 1,399 SQ.FT. • ELEV. C • 1,408 SQ.FT.



The Paisley 2

STANDARD TOWNS | ELEV. A • 1,452 SQ.FT. • ELEV. B • 1,456 SQ.FT.



Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E. • EGT-301











Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E. • EGT-310

The Paisley 3

STANDARD TOWNS | ELEV. A • 1,452 SQ.FT. • ELEV. B • 1,456 SQ.FT.

The Chevron 1

DUAL FRONTAGE TOWNS | ELEV. A • 1,396 SQ.FT. • ELEV. B • 1,408 SQ.FT.



Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E. • EGT-31







Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E. • EGT-40

The Chevron 2

DUAL FRONTAGE TOWNS | ELEV. A • 1,452 SQ.FT.






The Chevron 3

DUAL FRONTAGE TOWNS | ELEV. A • 1,444 SQ.FT.









The Pinstripe 1

BACK TO BACK TOWNS | ELEV. A • 1,155 SQ.FT.



The Pinstripe 3

BACK TO BACK TOWNS | ELEV. A • 1,466 SQ.FT.




The Pinstripe 4


BACK TO BACK TOWNS | ELEV. A • 1,498 SQ.FT.

The Pinstripe 5


BACK TO BACK TOWNS | ELEV. A • 1,648 SQ.FT.




ELEV. A



ELEV. A




ELEV. A




ELEV. A

GROUND LEVEL



ELEV. A

MAIN LEVEL



ELEV. A


UPPER LEVEL

Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E. • EGT-510


Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E. • EGT-510

The Paisley 1


STANDARD TOWNS | OPTIONAL UPPER LEVEL
 ELEV. A - 1,400 SQ.FT. • ELEV. B - 1,399 SQ.FT. • ELEV. C - 1,408 SQ.FT.



ELEV. A-2B




ELEV. B-2B




ELEV. C-2B

The Paisley 2

STANDARD TOWNS | OPTIONAL UPPER LEVEL
 ELEV. A - 1,452 SQ.FT. • ELEV. B - 1,456 SQ.FT.




ELEV. A-2B




ELEV. B-2B

The Paisley 3

STANDARD TOWNS | OPTIONAL UPPER LEVEL
 ELEV. A - 1,452 SQ.FT. • ELEV. B - 1,456 SQ.FT.




ELEV. A-2B




ELEV. B-2B

The Chevron 1

DUAL FRONTAGE TOWNS | OPTIONAL UPPER LEVEL
 ELEV. A - 1,396 SQ.FT. • ELEV. B - 1,408 SQ.FT.




ELEV. A-2B




ELEV. B-2B

The Chevron 2

DUAL FRONTAGE TOWNS | OPTIONAL UPPER LEVEL
 ELEV. A - 1,452 SQ.FT.



ELEV. A-2B



ELEV. A-2B

The Chevron 3

DUAL FRONTAGE TOWNS | OPTIONAL UPPER LEVEL
 ELEV. A - 1,444 SQ.FT.

Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E.

Illustrations are artist's concept. All dimensions are approximate. Specifications, terms and conditions are subject to change without notice. Floor plans and room dimensions apply to elevation A of this model type and may vary according to elevation. Plan may be built with mirror image. Location of furnace, hot water tank, support posts and beams are determined by the HVAC designer or architect and may result in drywall boxes on walls and ceilings that are not shown. The size and location of the utility area are approximate. The number of steps at front and rear may vary depending on grading. E. & O. E.

THE



DIFFERENCE



Transom windows above garage and front door for added natural light, as per plan

Modern exterior glass decorative railing system, as per plan

Contemporary brick and stone for great curb appeal

Attractive stucco grooves for contemporary feel


Modern exterior details including maintenance-free vinyl-wrapped PVC planks

Modern windows that complement


Modern exterior wall sconces, as per plan



EXCLUSIVE FEATURES & FINISHES



Integrated USB receptacle located in kitchen.



Upgraded contemporary square interior columns, as per plan.



Choice of contemporary hi-gloss cabinetry, in addition to standard.



Upgraded Moen Align kitchen faucet with spray, chrome finish.



Contemporary interior trim package (4" baseboard and 2-3/4" casing).



Upgraded interior door hardware.



Upgraded rizon master bath & powder room faucet fixtures, as per plan.

Information correct at press time and subject to change without notice. Renderings are artist's concept. E. & O.E.

Features & Finishes

STANDARD & DUAL FRONTAGE TOWNHOMES

EXTERIOR FEATURES

- Superior architecturally designed homes to include a mix of exterior material types and varieties as per LIV Communities model plans. All elevations, exterior colours and materials are architecturally controlled to produce a complementary streetscape. Materials may consist of a combination of brick, stucco, stone, vinyl siding, and stucco mouldings (as per elevation). Colours are predetermined packages that have been created using professionally approved Architectural guidelines and colours.
- MODERN EXTERIOR DETAILS INCLUDING MAINTENANCE-FREE VINYL-WRAPPED PVC PLANKS (or equivalent).
- Low maintenance vinyl clad thermo-sealed fixed style casement windows with grilles as per plan (front elevation only). A minimum of one operable window with screen per room, or door (as per plan). Basement windows to be vinyl sliders.
- Stone or brick to first floor with vinyl siding above at side and rear elevations, as per plan and elevation.
- Insulated CONTEMPORARY METAL FRONT ENTRY DOOR WITH A FULL GLASS INSERT and vinyl frame, shall receive UPGRADED WEISER FRONT DOOR HARDWARE IN SATIN NICKEL and deadbolt lock for your family's added security.
- Convenient DIRECT ACCESS FROM GARAGE TO HOME includes an insulated metal door complete with door closure with deadbolt where shown on plans and model types only, and only where grade permits.
- Garden patio door(s) or 5' sliding door (as per plan).
- MODERN EXTERIOR WALL SCONCES to front porch/garage as per model type, or pot lights in lieu of coach lamps where required.
- Pre-finished maintenance-free aluminum soffits, fascia, eavestrough and downspouts (as per elevation).
- Quality self-sealing asphalt shingles with a limited 25-year manufacturer's warranty and pre-finished metal roofing in some areas, as per plan.
- Premium quality steel insulated sectional roll-up garage door(s) with decorative lite top panel (as per plan).
- Two (2) exterior electrical outlets are included; one at front and one at rear of house.
- Two (2) exterior hose bibs; one in garage and one at rear or side of house, or front of house for dual frontage units.
- Hard surface walkway from driveway to front porch.
- Precast concrete steps at front, sides, and rear entrances as required (as per plan and grading).
- Covered porch with exterior columns (as per elevation) and exterior maintenance free railing, if required by grade.
- MODERN EXTERIOR GLASS DECORATIVE RAILING SYSTEM, excluding grade railing, as required and as per plan.
- Elegant municipal address numbers installed on front elevation. Dual frontage units to have municipal numbers installed on both front and rear elevation.
- 2-stage asphalt paved driveway, base and top-coat, to the width of the garage.

- Professionally graded and sodded front and rear yard. Some gravel may be used between side yards.
- Poured concrete foundations include a spray and exterior plastic drainage layer for damp proofing.
- Garage floors are poured concrete complete with reinforced steel rods in garage floor (as per plan) to enhance structural integrity.
- Garage finished in drywall and taped on wood framed walls only.
- Superior 2" x 6" exterior walls for strength and stability with exterior insulated sheathing.

INTERIOR FEATURES

- Poured concrete floor in the basement with a floor drain by the furnace area (as per plan).
- Sump pump and drain to exterior to be located in the basement, as required.
- ALL FRAMED FLOORS WILL BE FRAMED WITH AN ENGINEERED WOOD FLOOR SYSTEM FOR OPTIMAL PERFORMANCE.
- Subfloor materials and installation meet or exceed OBC requirements. ALL JOINTS TO BE SANDED AND ALL SUBFLOORS TO BE NAILED, SCREWED, AND GLUED.
- SHUT-OFF VALVE UNDER EVERY SINK AND TOILET.
- All exterior windows and doors are foam insulated.
- 9' CEILING HEIGHT ON MAIN FLOOR and 8' ceiling height on Ground and 2nd floors, excluding bulkheads in kitchen and other areas required (as per plan layout).
- Finished areas to have paint grade stringers, carpeted treads and risers (as per plan).
- STAIRS DESIGNED WITH EXTRA DEEP 10IN TREADS (APPROXIMATE).
- Stairs to unfinished areas to be painted.
- Solid oak 1-5/16" square or traditional spindles and handrail with natural varnished finish on all finished area stairs.
- Choice of imported 13" x 13" ceramic floor tiles for foyer/entry, bathrooms, laundry room/mudroom, and kitchen/dinette (as per plan), from LIV Communities' standard samples.
- 35-ounce plush broadloom with 300 Series underpad in all finished areas not covered by a hard surface material, from LIV Communities' standard samples.
- Choice of interior passage doors available from a selection of Series 800 styles.
- UPGRADED SATIN NICKEL FINISH LEVERS on all interior doors.
- CONTEMPORARY WHITE PAINTED INTERIOR TRIM PACKAGE WITH 2-3/4" CASINGS AND 4" BASEBOARDS THROUGHOUT. SHOE MOULD PROVIDED ON ALL HARD-SURFACE FLOORING.
- All half walls are capped and trimmed with 2-3/4" casings.
- CALIFORNIA KNOCK-DOWN CEILINGS THROUGHOUT (excluding closets), with a 3" smooth border.
- Smooth ceilings in all bathrooms, laundry and kitchen area.

PAINTING

- Interior walls to be finished with one coat tinted primer and one finish coat of flat paint.
- Purchaser's choice of two (2) colours for walls throughout chosen from LIV Communities' standard samples.
- Trim and doors to be painted with white semi-gloss paint.

FINISHED LAUNDRY AREA FEATURES

- Laundry closet to have an in-wall housing unit allowing for hot and cold water supply and waste disposal outlet for future washer.
- Heavy-duty 220V electrical outlet provided for dryer, vented to exterior.

MEDIA/COMMUNICATIONS

- Purchaser allowance of seven (7) communication rough-ins with a choice between CAT 5 rough-in (for phone or Internet use) and RG6 (cable).
- Homes are roughed in for future security systems.

KITCHEN FEATURES

- Designer kitchens from choice of quality OAK, MAPLE, OR HI-GLOSS CABINETRY from LIV Communities standard samples (as per plan).
- Flush breakfast bar on kitchen islands or peninsulas (as per plan).
- 36" EXTENDED UPPER KITCHEN CABINET HEIGHT.
- Choice of laminate countertops from LIV Communities' standard selections.
- Double stainless-steel sink with UPGRADED MOEN ALIGN KITCHEN FAUCET WITH SPRAY in chrome finish.
- Two-speed stainless steel kitchen exhaust fan with light over stove area vented to exterior with 6" exhaust ducting.
- Dishwasher space with plug and plumbing rough-in provided in kitchen.
- Heavy-duty 220V electrical outlet for electric stove.

BATHROOM FEATURES

- Purchaser's choice of quality OAK, MAPLE, OR HI-GLOSS CABINETRY for all bathroom vanities, includes laminate countertop and drop-in sink (as per plan) from LIV Communities standard samples.
- Cabinet with drop-in sink or white pedestal sink in powder room, as per plan.
- Wall mounted mirrors installed in all bathroom(s) above vanities.
- Energy efficient water-saver shower head and toilet tanks.
- Pressure balance valve in all showers.
- Quality white fixtures in all bathrooms with white ceramic bathroom accessories and quality chrome faucets and shower heads.
- UPGRADED MOEN RIZON PRIMARY ENSUITE OR MAIN BATH FAUCET, SHOWER, AND/OR TUB FIXTURES in chrome finish, as per plan.
- UPGRADED MOEN RIZON POWDER ROOM FAUCET FIXTURE in chrome finish.

- Separate framed shower, where applicable, will include acrylic shower base, tiled walls and ceiling, with recessed light.
- Soaker tub where applicable will have tile backsplash (as per plan).
- Shower opening is framed in white quartz with a chrome-framed shower glass door and ceramic-tile.
- Choice of quality 13" x 13" imported ceramic wall and ceiling tile for bathtubs and shower enclosures from LIV Communities' standard samples.
- Tub/shower combination to have shower curtain rod, as per plan.
- Exhaust fan vented to the outside in all bathrooms, powder room, and laundry room (where applicable).
- Privacy locks on all bathroom doors.

HEATING/INSULATION & ENERGY EFFICIENT FEATURES

- Forced air High-efficiency gas furnace with electronic ignition, vented to exterior.
- Hot water tank, power vented or direct vent (lease or rental). Note: Purchaser may be required to continue a lease or rental agreement prior to closing.
- HRV (HEAT RECOVERY VENTILATOR) promotes healthier interior air quality by exhausting stale indoor air and replacing it with fresh outdoor air.
- Thermostat centrally located on main floor.
- Ductwork is sized to accommodate future central air conditioner.
- Homes are sealed with vapour barrier, as per Ontario Building Code.
- All windows and exterior doors are fully caulked, as per Ontario Building Code.
- Weather-stripping installed on all exterior doors.
- All air ducts to be professionally cleaned prior to occupancy.

LIGHTING AND ELECTRICAL FEATURES

- 100 amp electrical panel with breaker switches.
- Elegant white Decora style wall switches & plugs throughout.
- PREMIUM BRUSHED NICKEL INTERIOR LIGHTING PACKAGE.
- Wall mounted vanity light fixture installed above each sink in all bathrooms.
- Switched light fixtures in all rooms (as per plan). Capped ceiling outlet with switch for vaulted entryway and dining room (as per plan).
- INTEGRATED USB RECEPTACLE LOCATED IN KITCHEN.
- Electrical outlets in all bathrooms and powder room and counter-height kitchen, include Ground Fault Interrupters as per Ontario Building Code.
- Hard-wired, inter-connected smoke detector in main hall, upper hall, basement, and bedrooms.
- Hard-wired carbon monoxide (CO) detector installed on levels with bedrooms.
- Heavy-duty stove and dryer receptacles.
- Dedicated receptacles for future refrigerator, dishwasher, and washing machine.

- Two (2) electrical outlets in garage including one (1) in ceiling per garage door (as per plan), for future garage door opener(s).
- Rough-in central vacuum system terminating in basement for future connection.
- Door chime included.

GRADING

-Standard Lot (STD) Conditions
Where standard typical conditions are applicable the following features are included in the applicable premium:

- Up to 2 precast concrete steps from the rear to grade.

-D1 Conditions
Where D1 conditions are applicable the following features are included in the applicable premium:

- Up to 4 to 6 risers from rear door to grade.
- Low maintenance pressure treated 8' x 5' Deck, with stairs to grade.

-D2 Conditions
Where D2 conditions are applicable the following features are included in the applicable premium:

- Up to 7 to 9 risers from rear door to grade.
- Low maintenance pressure treated 8' x 5' Deck, with stairs to grade.
- 36" x 24" Upgraded Window(s), as per plan.

-D3 Conditions
Where D3 conditions are applicable the following features are standard and included:

- Up to 10 to 14 risers from rear door to grade.
- Low maintenance pressure treated 8' x 5' Deck, with stairs to grade.
- 36" x 24" Upgraded Window(s), as per plan.

-Walk-out Basement (WOB) Conditions
Where WOB conditions are applicable the following features are included in the applicable premium:

- Larger rear vinyl casement basement window(s), as per plan.
- Low maintenance pressure treated deck off main floor.
- Patio door from basement directly below matching door from rear of main level includes precast concrete patio slabs.
- Additional rear light to patio door and additional exterior electrical outlet on basement level.
- Relocated exterior or side water faucet to basement level.
- Grade below the rear deck shall include additional exterior material (where applicable, as per elevation).

WARRANTY

LIV Communities is backed by the TARION Home Warranty Program Including:

- Complete Customer Service Program for One Full Year
- Two Year Warranty Protection against defects in workmanship and materials including:
 - o Caulking for windows and doors preventing water penetration;
 - o Electrical, plumbing, heating delivery and distribution systems;
 - o Detachment, displacement or deterioration of exterior cladding; and all violations of the Ontario Building Code's Health and Safety Provisions.
- Seven Year Warranty Protection against major structural defects (as defined in the TARION Warranties Plan Act) including:
 - o A defect in workmanship and materials that results in the failure of a load bearing part of the home's structure, or
 - o Any defect in workmanship of materials that adversely affects your use of the building as a home.

*Warranties are limited to the requirements established by the TARION Warranty Plan Act.

Notwithstanding anything to the contrary set out in this Agreement, the Vendor shall have the right to construct the Dwelling at a grade level different than as depicted in the sales brochures, renderings and other plans and specifications previously reviewed by the Purchaser, necessitating a sunken floor area(s) within the Dwelling, a step or series of steps to or at the front door, side door, rear door, or any door from the garage to the interior of the Dwelling, or the inclusion of landings, decks and railings, and the Dwelling as so constructed is hereby irrevocably accepted by the Purchaser without any right of abatement of Purchase Price and in full satisfaction of the Vendor's obligation to construct the Dwelling. Furthermore, the Vendor shall have the right to substitute other products and materials for those listed in the Schedules, provided that the substituted products and materials are of quality equal to or better than the products and materials so listed or so provided. Marble, wood and all-natural materials are subject to natural variations in colour and grain. Ceramic tile and broadloom are subject to pattern and shade variations.

Features & Finishes

BACK-TO-BACK TOWNHOMES

EXTERIOR FEATURES

- Superior architecturally designed homes to include a mix of exterior material types and varieties as per LIV Communities model plans. All elevations, exterior colours and materials are architecturally controlled to produce a complementary streetscape. Materials may consist of a combination of brick, stucco, stone, vinyl siding, and stucco mouldings (as per elevation). Colours are predetermined packages that have been created using professionally approved Architectural guidelines and colours.
- MODERN EXTERIOR DETAILS INCLUDING MAINTENANCE-FREE VINYL-WRAPPED PVC PLANKS (or equivalent).
- Low maintenance vinyl-clad thermo-sealed fixed style casement windows with grilles as per plan (front elevation only). A minimum of one operable window with screen per room, or door (as per plan). Basement windows to be vinyl sliders.
- Insulated CONTEMPORARY METAL FRONT ENTRY DOOR WITH A FULL GLASS INSERT and vinyl frame, shall receive UPGRADED WEISER FRONT DOOR HARDWARE IN SATIN NICKEL and deadbolt lock for your family's added security.
- Convenient DIRECT ACCESS FROM GARAGE TO HOME includes an insulated metal door complete with door closure with deadbolt where shown on plans and model types only, and only where grade permits.
- Balcony/covered balcony area(s) flooring to be pressure treated deck material, as per plan.
- Garden patio door, as per plan.
- MODERN EXTERIOR WALL SCONCES to front porch/garage as per model type, or pot lights in lieu of coach lamps where required.
- Pre-finished maintenance-free aluminum soffits, fascia, eavestrough and downspouts (as per elevation).
- Quality self-sealing asphalt shingles with a limited 25-year manufacturer's warranty and pre-finished metal roofing in some areas as per plan
- Premium quality steel insulated sectional roll-up garage door with decorative lite top panel (as per plan).
- Two (2) exterior electrical outlets are included; one at front porch and one at main floor balcony.
- One (1) exterior hose bib in garage area.
- Hard surface walkway from driveway to front porch.
- Precast concrete steps at front entrance (as per plan and grading).
- Covered porch and/or balcony with exterior columns (as per elevation) and exterior maintenance free railing, if required by grade.
- MODERN EXTERIOR GLASS DECORATIVE RAILING SYSTEM, excluding grade railing, as required and as per plan.
- Elegant municipal address numbers installed on front elevation.
- 2-stage asphalt paved driveway, base and top-coat, to the width of the garage.
- Professionally graded and sodded front. Some gravel may be used between side yards.

- Poured concrete foundations include a spray and exterior plastic drainage layer for damp proofing.
- Garage floors are poured concrete complete with reinforced steel rods in garage floor (as per plan) to enhance structural integrity.
- Garage finished in drywall and taped on wood framed walls only.
- Superior 2" x 6" exterior walls for strength and stability with exterior insulated sheathing.

INTERIOR FEATURES

- Poured concrete floor in the basement with a floor drain by the furnace area, as per plan.
- Sump pump and drain to exterior to be located in the basement, as required.
- ALL FRAMED FLOORS WILL BE FRAMED WITH AN ENGINEERED WOOD FLOOR SYSTEM FOR OPTIMAL PERFORMANCE.
- Subfloor materials and installation meet or exceed OBC requirements. ALL JOINTS TO BE SANDED AND ALL SUBFLOORS TO BE NAILED, SCREWED, AND GLUED.
- SHUT-OFF VALVE UNDER EVERY SINK AND TOILET.
- All exterior windows and doors are foam insulated.
- 8' ceiling height on ground floor, 9' CEILING HEIGHT ON MAIN FLOOR and 8' ceiling height on upper floor, excluding bulkheads in kitchen and other areas required (as per plan layout).
- Finished areas to have paint grade stringers, carpeted treads and risers (as per plan).
- STAIRS DESIGNED WITH EXTRA DEEP 10IN TREADS (APPROXIMATE).
- Stairs to unfinished areas to be painted.
- Solid oak 1-5/16" square or traditional spindles and handrail with natural varnished finish on all finished area stairs.
- Choice of imported 13" x 13" ceramic floor tiles for foyer/entry, bathrooms, laundry room/mudroom, and kitchen/dinette (as per plan), from LIV Communities standard samples.
- 35-ounce plush broadloom with 300 Series underpad in all finished areas not covered by a hard surface material, from LIV Communities standard samples.
- Choice of interior passage doors available from a selection of Series 800 styles.
- UPGRADED SATIN NICKEL FINISH LEVERS on all interior doors.
- CONTEMPORARY WHITE PAINTED INTERIOR TRIM PACKAGE WITH 2-3/4" CASINGS AND 4" BASEBOARDS THROUGHOUT. SHOE MOULD PROVIDED ON ALL HARD-SURFACE FLOORING.
- All half walls are capped and trimmed with 2-3/4" casings.
- CALIFORNIA KNOCK-DOWN CEILINGS THROUGHOUT (excluding closets), with a 3" smooth border.
- Smooth ceilings in all bathrooms, laundry and kitchen area.

PAINTING

- Interior walls to be finished with one coat tinted primer and one finish coat of flat paint.
- Purchaser's choice of two (2) colours for walls throughout chosen from LIV Communities standard samples.
- Trim and doors to be painted with white semi-gloss paint.

FINISHED LAUNDRY AREA FEATURES

- Laundry closet to have an in-wall housing unit allowing for hot and cold water supply and waste disposal outlet for future washer.
- Heavy-duty 220V electrical outlet provided for dryer, vented to exterior.

MEDIA/COMMUNICATIONS

- Purchaser allowance of seven (7) communication rough-ins with a choice between CAT 5 rough-in (for phone or Internet use) and RG6 (cable).
- Homes are roughed in for future security systems.

KITCHEN FEATURES

- Designer kitchens from choice of quality OAK, MAPLE, OR HI-GLOSS CABINETS from LIV Communities standard samples (as per plan).
- Flush breakfast bar on kitchen islands or peninsulas (as per applicable plan).
- 36" EXTENDED UPPER KITCHEN CABINET HEIGHT.
- Choice of laminate countertops from LIV Communities standard selections.
- Double stainless-steel sink with UPGRADED MOEN ALIGN KITCHEN FAUCET WITH SPRAY in chrome finish.
- Two-speed stainless steel kitchen exhaust fan with light over stove area vented to exterior with 6" exhaust ducting.
- Dishwasher space with plug and plumbing rough-in provided in kitchen.
- Heavy-duty 220V electrical outlet for electric stove.

BATHROOM FEATURES

- Purchaser's choice of quality OAK, MAPLE, OR HI-GLOSS CABINETS for all bathroom vanities, includes laminate countertop and drop-in sink (as per plan) from LIV Communities standard samples.
- Cabinet with drop-in sink or white pedestal sink in powder room as per plan.
- Wall mounted mirrors installed in all bathroom(s) above vanities.
- Energy efficient water-saver shower head and toilet tanks.
- Pressure balance valve in all showers.
- Quality white fixtures in all bathrooms with white ceramic bathroom accessories and quality chrome faucets and shower heads.
- UPGRADED MOEN RIZON PRIMARY ENSUITE OR MAIN BATH FAUCET, SHOWER, AND/OR TUB FIXTURES in chrome finish, as per plan.
- UPGRADED MOEN RIZON POWDER ROOM FAUCET FIXTURE in chrome finish.

- Choice of quality 13" x 13" imported ceramic wall and ceiling tile for bathtubs and shower enclosures from LIV's standard samples.
- Tub/shower combination to have shower curtain rod, as per plan.
- Exhaust fan vented to the outside in all bathrooms, powder room, and laundry room (where applicable).
- Privacy locks on all bathroom doors.

HEATING/INSULATION & ENERGY EFFICIENT FEATURES

- Forced air High-efficiency gas furnace with electronic ignition, vented to exterior.
- Hot water tank, power vented or direct vent (lease or rental). Note: Purchaser may be required to continue a lease or rental agreement prior to closing.
- HRV (HEAT RECOVERY VENTILATOR) promotes healthier interior air quality by exhausting stale indoor air and replacing it with fresh outdoor air.
- Thermostat centrally located on main floor.
- Ductwork is sized to accommodate future central air conditioner.
- A/C UNIT ROUGH-IN TO 2nd FLOOR BALCONY.
- Homes are sealed with vapour barrier, as per Ontario Building Code.
- All windows and exterior doors are fully caulked, as per Ontario Building Code.
- Weather-stripping installed on all exterior doors.
- All air ducts to be professionally cleaned prior to occupancy.

LIGHTING AND ELECTRICAL FEATURES

- 100 amp electrical panel with breaker switches.
- Elegant white Decora style wall switches & plugs throughout.
- PREMIUM BRUSHED NICKEL INTERIOR LIGHTING PACKAGE.
- Wall mounted vanity light fixture installed above each sink in all bathrooms.
- Switched light fixtures in all rooms (as per plan). Capped ceiling outlet with switch for vaulted entryway and dining room (as per plan).
- INTEGRATED USB RECEPTACLE LOCATED IN KITCHEN.
- Electrical outlets in all bathrooms and powder room and counter-height kitchen, include Ground Fault Interrupters as per Ontario Building Code.
- Hard-wired, inter-connected smoke detector in main hall, upper hall, basement and bedrooms.
- Hard-wired carbon monoxide (CO) detector installed on levels with bedrooms.
- Heavy-duty stove and dryer receptacles.
- Dedicated receptacles for future refrigerator, dishwasher, and washing machine.
- Two (2) Electrical outlets in garage including one (1) in ceiling for future garage door opener.
- Rough-in central vacuum system terminating in basement for future connection.
- Door chime included.

GRADING

-Standard Lot (STD) Conditions
Where standard typical conditions are applicable the following features are included in the applicable premium:

- Up to 2 precast concrete steps from the rear to grade.

WARRANTY

LIV Communities is backed by the TARION Home Warranty Program Including:

- Complete Customer Service Program for One Full Year.
- Two Year Warranty Protection against defects in workmanship and materials including:
 - o Caulking for windows and doors preventing water penetration;
 - o Electrical, plumbing, heating delivery and distribution systems;
 - o Detachment, displacement or deterioration of exterior cladding; and all violations of the Ontario Building Code's Health and Safety Provisions.
- Seven Year Warranty Protection against major structural defects (as defined in the TARION Warranties Plan Act) including:
 - o A defect in workmanship and materials that results in the failure of a load bearing part of the home's structure, or
 - o Any defect in workmanship of materials that adversely affects your use of the building as a home.

*Warranties are limited to the requirements established by the TARION Warranty Plan Act.

Notwithstanding anything to the contrary set out in this Agreement, the Vendor shall have the right to construct the Dwelling at a grade level different than as depicted in the sales brochures, renderings and other plans and specifications previously reviewed by the Purchaser, necessitating a sunken floor area(s) within the Dwelling, a step or series of steps to or at the front door, side door, rear door, or any door from the garage to the interior of the Dwelling, or the inclusion of landings, decks and railings, and the Dwelling as so constructed is hereby irrevocably accepted by the Purchaser without any right of abatement of Purchase Price and in full satisfaction of the Vendor's obligation to construct the Dwelling. Furthermore, the Vendor shall have the right to substitute other products and materials for those listed in the Schedules, provided that the substituted products and materials are of quality equal to or better than the products and materials so listed or so provided. Marble, wood and all-natural materials are subject to natural variations in colour and grain. Ceramic tile and broadloom are subject to pattern and shade variations.



Artist's concept



Artist's concept



LIVE WHERE IT MATTERS

LIV Communities is a family-owned business based out of Burlington, Ontario. For more than forty years, LIV has developed a reputation for designing and building exclusive, high-quality custom homes in desirable locations where you can live where it matters most.

LIV pledges to carry on the proud tradition of building master-planned communities that are perfect for your family. In any location, LIV will build the home of your dreams.



LIVHERE.CA





LIVTM
COMMUNITIES